

SAFETY DATA SHEET

according to Work Health and Safety Regulations 2011

Reliant™ Gel System

Version 3.0

Revision Date 16.04.2024

Print Date 27.04.2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Reliant™ Gel System

Material number : 54905

Manufacturer or supplier's details

Company : Capsugel Australia Pty Ltd.
Suite 610, 12 Century Circuit,
Norwest NSW 2153
Australia

Lonza Ltd
Muenchensteinerstrasse 38
CH-4002 Basel
Switzerland

Telephone : Tel +61 3 9550 0883

Telefax : Tel +61 3 9550 0890

E-mail address : sds@lonza.com

Emergency telephone number : +41 61 313 94 94 (24h)

Recommended use of the chemical and restrictions on use

Recommended use : For research use only.

Restrictions on use : NOT FOR USE IN GMP MANUFACTURING, NOR HUMAN OR ANIMAL IN VIVO OR DIAGNOSTIC USE.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360 May damage fertility or the unborn child.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P281 Use personal protective equipment as required.

Reliant™ Gel System

Response:

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to a local hazardous waste disposal facility.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Boric acid	10043-35-3	>= 0,3 - < 0,5

SECTION 4. FIRST AID MEASURES

- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : After contact with skin, wash immediately with plenty of soap and water.
If on clothes, remove clothes.
In the case of skin irritation or allergic reactions see a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Keep eye wide open while rinsing.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No information available.
- Notes to physician : Treat symptomatically.

Reliant™ Gel System

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical
Specific hazards during firefighting	: Heating or fire can release toxic gas.
Hazardous combustion products	: Carbon oxides (COx)
Specific extinguishing methods	: Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit. Use personal protective equipment.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	: Pick up and arrange disposal without creating dust. Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: Avoid formation of respirable particles. Do not breathe vapours/dust. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Hygiene measures	: Wash hands before breaks and at the end of workday. Avoid contact with skin, eyes and clothing.
Conditions for safe storage	: Observe label precautions. Keep container tightly closed. Keep in a well-ventilated place. To maintain product quality, do not store in heat or direct sunlight.
Further information on storage conditions	: Avoid moisture.
Further information on storage stability	: No decomposition if stored and applied as directed.

Reliant™ Gel System

bility

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Boric acid	10043-35-3	TWA (Inhalable particulate matter)	2 mg/m ³ (Borate)	ACGIH
		STEL (Inhalable particulate matter)	6 mg/m ³ (Borate)	ACGIH

Engineering measures : Use only in area provided with appropriate exhaust ventilation.

Personal protective equipment

Respiratory protection : Half mask with a particle filter P2 (EN 143)

Hand protection

Material : Nitrile rubber

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Impervious gloves Break through time : > 480 min

Eye protection : Safety glasses

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Dust impervious protective suit

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : gel

Colour : clear

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Reliant™ Gel System

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	No data available
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	Heat
Incompatible materials	:	Oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Eyes Skin
-----------------	---	--------------

Reliant™ Gel System

Acute toxicity

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Remarks : No data available

Serious eye damage/eye irritation

Remarks : No data available

Respiratory or skin sensitisation

Remarks : No data available

Germ cell mutagenicity

Genotoxicity in vitro : Remarks: No data available

Carcinogenicity

Remarks : No data available

Reproductive toxicity

Effects on fertility : Remarks: No data available

STOT - single exposure

Remarks : No data available

STOT - repeated exposure

Remarks : No data available

Aspiration toxicity

No aspiration toxicity classification

Further information

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxicity to fish :
Remarks: No data available

Persistence and degradability

Biodegradability : Remarks: No data available

Bioaccumulative potential

Bioaccumulation : Remarks: No data available

Reliant™ Gel System

Mobility in soil

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of contents/container in accordance with local regulation.
Contact waste disposal services.
Do not dispose of waste into sewer.

Contaminated packaging : Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

IATA

Not dangerous goods

UN number : Not applicable
Proper shipping name : Not applicable
Transport hazard class : Not applicable
Packing group : Not applicable

IMDG

Not dangerous goods

UN number : Not applicable
Proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Packing group : Not applicable
Environmental hazards : Marine pollutant: no

ADR

Not dangerous goods

UN number : Not applicable
Proper shipping name : Not applicable
Transport hazard class : Not applicable
Packing group : Not applicable
Environmental hazards : no

Reliant™ Gel System

RID	:	Not dangerous goods
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Transport hazard class	:	Not applicable
Packing group	:	Not applicable
Environmental hazards	:	no
Special precautions for user	:	none
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	:	Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument

Not applicable

SECTION 16. OTHER INFORMATION

Revision Date : 16.04.2024

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT -

Reliant™ Gel System

Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN