

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Reliant™ Gel System

Version 4.0

Revision Date 26.04.2024

Print Date 23.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Product name : Reliant™ Gel System

Material number : 54801

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : For research use only.

Recommended restrictions on use : NOT FOR USE IN GMP MANUFACTURING, NOR HUMAN OR ANIMAL IN VIVO OR DIAGNOSTIC USE.

1.3 Details of the supplier of the safety data sheet

Company : **Lonza Ltd**
Muenchensteinerstrasse 38
CH-4002 Basel, Switzerland
Business Telephone: +41 61 316 81 11

Lonza Verviers Sprl
Parc Industriel de Petit-Rechain
BE-4800 Verviers, Belgium
Business Telephone: +32 8732 1611

Lonza Cologne GmbH
Nattermannallee 1
DE-50829 Köln, Germany
Business Telephone: + 49 221 99 1990

E-mail address / Responsible/issuing person : sds@lonza.com

1.4 Emergency telephone numberEmergency telephone number : Lonza Ltd, CH-4002 Basel, Switzerland
Telephone: +41 61 313 94 94 (24h)**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Reliant™ Gel System

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Components**

Remarks : No hazardous ingredients

SECTION 4: First aid measures**4.1 Description of first aid measures**

If inhaled : No special precautions required.

In case of skin contact : After contact with skin, wash immediately with plenty of soap and water.
If skin irritation persists, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.
If eye irritation persists, consult a specialist.

If swallowed : If swallowed, do not induce vomiting - seek medical advice.
Immediately give large quantities of water to drink.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Dry powder
Water spray
Foam

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides (COx)

Reliant™ Gel System

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special precautions required.

Advice on protection against fire and explosion : Avoid dust formation. Take precautionary measures against static discharges.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container closed when not in use. Do not freeze.

Further information on storage stability : Store dry. Store flat.

7.3 Specific end use(s)

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Countries not listed may have their own country specific values.

Occupational Exposure Limits

European Union

Reliant™ Gel System

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Acetic acid	64-19-7	TWA	10 ppm 25 mg/m ³	2017/164/EU
Further information		Indicative		
		STEL	20 ppm 50 mg/m ³	2017/164/EU
Further information		Indicative		

Switzerland

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Acetic acid	64-19-7	TWA	10 ppm 25 mg/m ³	2017/164/EU
		STEL	20 ppm 50 mg/m ³	2017/164/EU
		TWA	10 ppm 25 mg/m ³	CH SUVA
		STEL	20 ppm 50 mg/m ³	CH SUVA

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Acetic acid	Workers	Inhalation	Short-term exposure, Local effects	25 mg/m ³
	Workers	Inhalation	Long-term local effects	25 mg/m ³
	Consumers	Inhalation	Long-term local effects	25 mg/m ³
	Consumers	Inhalation	Short-term exposure, Local effects	25 mg/m ³
	Workers	Skin contact	Long-term local effects	10 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Acetic acid	Fresh water sediment	11,36 mg/kg
	Sewage treatment plant	85 mg/l
	Soil	0,478 mg/kg
	Intermittent use/release	30,58 mg/l
	Fresh water	3,058 mg/l
	Marine water	0,3058 mg/l
	Marine sediment	1,136 mg/kg

8.2 Exposure controls

Engineering measures

Use only in area provided with appropriate exhaust ventilation.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber

Rate of permeability : > 480 min

Skin and body protection

: No special protective equipment required.

Respiratory protection

: No personal respiratory protective equipment normally required.

Reliant™ Gel System

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state	:	solid
Appearance	:	gel
Colour	:	clear
Odour	:	odourless
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	No data available
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	Not applicable
Solubility(ies)	:	No data available
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	Not applicable
Particle characteristics	:	No data available

9.2 Other information

No data available

Reliant™ Gel System

SECTION 10: Stability and reactivity**10.1 Reactivity**

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under normal conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents
Acids and bases

10.6 Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Information on likely routes of exposure : Eyes
Skin

Acute toxicity

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitisation

Remarks: No data available

Germ cell mutagenicity

Genotoxicity in vitro : Remarks: No data available

Carcinogenicity

Remarks: No data available

Reliant™ Gel System

Reproductive toxicity

Effects on fertility : Remarks: No data available

STOT - single exposure

Remarks: No data available

STOT - repeated exposure

Remarks: No data available

Aspiration toxicity

Remarks: No data available

11.2 Information on other hazards

Endocrine disrupting properties

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Remarks: No data is available on the product itself. Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish : Remarks: No data available

12.2 Persistence and degradability

Biodegradability : Result: no data available

12.3 Bioaccumulative potential

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

Reliant™ Gel System

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Contact waste disposal services.
Dispose of in accordance with local regulations.

SECTION 14: Transport information

IATA : Not dangerous goods

14.1 UN number : Not applicable
14.2 Proper shipping name : Not applicable
14.3 Transport hazard class(es) : Not applicable
14.4 Packing group : Not applicable
14.5 Environmental hazards : no

IMDG : Not dangerous goods

14.1 UN number : Not applicable
14.2 Proper shipping name : Not applicable
14.3 Transport hazard class(es) : Not applicable
14.4 Packing group : Not applicable
14.5 Environmental hazards : Marine pollutant: no

ADR : Not dangerous goods

14.1 UN number : Not applicable
14.2 Proper shipping name : Not applicable
14.3 Transport hazard class(es) : Not applicable
14.4 Packing group : Not applicable
14.5 Environmental hazards : no

RID : Not dangerous goods

14.1 UN number : Not applicable
14.2 Proper shipping name : Not applicable
14.3 Transport hazard class(es) : Not applicable
14.4 Packing group : Not applicable
14.5 Environmental hazards : no

Reliant™ Gel System

DOT : Not dangerous goods

14.1 UN number : Not applicable

14.2 Proper shipping name : Not applicable

14.3 Transport hazard class(es) : Not applicable

14.4 Packing group : Not applicable

TDG : Not dangerous goods

14.1 UN number : Not applicable

14.2 Proper shipping name : Not applicable

14.3 Transport hazard class(es) : Not applicable

14.4 Packing group : Not applicable

14.5 Environmental hazards : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Water hazard class (Germany) : nwg not water endangering

15.2 Chemical safety assessment

not required

Reliant™ Gel System

SECTION 16: Other information**Full text of other abbreviations**

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
CH SUVA : Switzerland. Limit values at the work place

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ATE - Acute Toxicity Estimate; AwSV - Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen / Ordinance on facilities for handling substances that are hazardous to water; BPR – Biocidal Product Regulation; bw - Body weight; CAS - Chemical Abstract Service; CLP - Classification Labelling Packaging Regulation, Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL-Derived No Effect Level; DOT - Department of Transportation; EC – European Community; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; EmS (Emergency Response Procedures for Ships Carrying Dangerous Goods); EN – European Standard; ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; EU OEL - European Occupational Exposure Limit; GHS -Globally Harmonized System of Classification and Labelling of Chemicals; GLP - Good Laboratory Practice; GV – Danish Exposure Limits for Substances and Materials; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); LOFT - Danish Threshold Limit Value; MAK - German Threshold Limit Value; MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NIOSH/Guide – National Institute of Safety and Health Guidebook; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; PEL - Permissible Exposure Limit; PNEC - Predicted no Effect Concentration; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; REL - Recommended Exposure Limit; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; STEL - Short-Term Exposure Limit; TDG - Transportation of Dangerous Goods; TGG – Dutch Threshold Limit Value; TGV – Swedish OEL; TLV Threshold Limit Value; TLV-C - Threshold Limit Value Ceiling; TWA -Time Weighted Average; UDS - Unscheduled DNA Synthesis; UN - United Nations; VLE - Valeurs limites d'exposition professionnelle aux agents chimiques en France; VME - Valeur (Limite) Moyenne d'Exposition; VOC - Volatile Organic Compound[s]; WEEL - Workplace Environmental Exposure Level; % w/w Percent weight by weight; %(V) Percent Volume

Further information

Other information : SeaKem is a registered trademark of DuPont Nutrition USA, Inc.

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Reliant™ Gel System
